

MARINE FISHERIES INFORMATION SERVICE

No. 184

April, May, June



TECHNICAL AND EXTENSION SERIES

CENTRAL MARINE FISHERIES RESEARCH INSTITUT

COCHIN, INDIA

ANDIAN COUNCIL OF ACDICULTUDAL DECEADOL


The Marine Fisheries Information Service: Technical and Extension Series envisages dissemination of information on marine fishery resources based on research results to the planners, industry and fish farmers, and transfer of technology from laboratory to field.

Abbreviation - Mar. Fish. Infor. Serv., T & E Ser., No. 184, April, May, June 2005

Seriolina nigrofasciata (Ruppell, 1829) is a broadly distributed non-schooling, solitary species in the depth realm of 20 to 150 m. It feeds on demersal fish, cephalopods and prawns.

Stray landing of *Seriolina nigrofasciata* were observed at New Ferry Wharf by trawlers from the later half of February '05 and continued up to the second week of March'05. On 26-2-05 about 300 kg of this fish were landed. The total length of the fish ranged between 30 to 60 cm with the mode at 45 cm. This fish is a very good export commodity and the entire catch was sold to exporters. It is

known as 'butter' because of its extremely soft flesh and is considered a delicacy. It fetched Rs. 70/kg at the landing centre.



Seriolina nigrofasciata

Prepared by: Jaidev Hotgi, Sujit Sundaram and Umesh.H.Rane, Mumbai Research Centre of CMFRI, Mumbai.