

समुद्री मात्स्थिकी सूचना सेवा MARINE FISHERIES INFORMATION SERVICE

No. 109

MARCH 1991



तकनीकी एवं TECHNICAL AND विस्तार अंकावली EXTENSION SERIES

केन्द्रीय समुद्री मात्स्यिकी CENTRAL MARINE FISHERIES अनुसंधान संस्थान RESEARCH INSTITUTE कोचिन, भारत COCHIN, INDIA

> भारतीय कृषि अनुसंधान परिषद INDIAN COUNCIL OF AGRICULTURAL RESEARCH

ON A MINKE WHALE BALAENOPTERA ACUTOROSTRATA CAUGHT OFF KAKINADA COAST*

In the early morning hours of 4th August, 1985, the Kakinada artisanal gill net fishermen caught a medium sized live male baleen whale at 70 m depth. They towed the whale with the help of two small trawlers into the Kakinada fishing harbour. It was later dragged on to the shore during high tide and was kept on show to the public under a tent erected for the purpose, for the next two days.

The presence of about 50 throat grooves, the small dorsal fin markedly curved backwards and the prominent white band over the flippers suggested that the baleen whale was a minke whale belonging to the species *Balaenoptera*

acutorostrata Lacepede. Some of the recent records of the baleen whales in the Indian seas are given in a Table. The following morphometric measurements (in cm) were taken: Total length (from tip of lower jaw to tip of fluke) 631, maximum girth 186 and maximum height 113. The animal was estimated to weigh about 8 tonnes. No injuries were observed on the body of the animal except those inflicted by fishermen by beating it with their wooden oars to control its fury and to mitigate the damage to the net.

As these was no market value to the whale in the locality, it was towed by two small trawlers and was dumped far out at sea,

Table 1. Strandings/ capture of baleen whales in the Indian seas in recent years

Sl, N	o. Date of stranding/ capture	Place	Species (dead/alive) th	Total length of e specimen and sex	Reported by	Reference
1	2	3	4	5	6	7
1.	19-7-1959 (Stranded)	Kakinada	<i>Balaenoptera</i> sp. (Alive)	7.82 m	C. Lakshmana Rao	J. mar. biol. Ass. India, 3 (1&2): 273, (1961)
2.	21-4-1964 (Washed ashore)	Muloor, South Kanara coast	Balaenoptera sp. (Dead)	15.76 m	A. K. Nagabhushanam, M. H. Dhulkhed	J. mar. biol. Ass. India, 6 (2): 323-325, (1964)
3.	9-10-1965 (Washed ashore)	Bombay coast	B. physalus	15.10 m	J. P. Kharbari, M. Aravi- ndhakshan and K. Pra- bhakaran Nair	J. mar. biol. Ass. India, 8 (18:2) : 226-227, (1966)
4.	25-5-1966	Calicut	B. musculus (Dead)	13.51 m	G. Venkataraman and K. G. Girijavallabhan	J. mar. biol. Ass. India, 8 (1&2) : 373-374, (1966)
5.	5-12-1968 (Stranded)	Mandrem, near Panaji, Goa coast	Balaenoptera sp.	14.80 m	Rajinder, M. Dhawan	J. mar. biol. Ass. India, 14 (1): 411, (1972)
6.	26-2-1969 (Stranded)	Off Baina, Goa coast	B. physalus (Dead)	14.85 m	Rajinder, M. Dhawan	J. mar. biol. Ass. India, 14 (1): 410-411, (1972)
7.	13-8-1971 (Stranded)	Off Magdalla near Surat	B. physalus	14.05 m	J. P. Karbhari	Indian J. Fish., 20 (2): 639-640, (1973)
8.	23-12-1971 (Stranded)	Manakad near Mandapam camp	B. borealts	15.53 m	G. Venkataraman, K. Dorairaj, M. Devaraj and R. Ganapathi	Indian J. Fish., 20 (2): 634-638, (1973)

[•] Prepared By: C. V. Seshagiri Rao, Visakhapatnam Research Centre of CMFRI, Visakhapatnam.

1	2	3	4	5	6	7
9.	20-12-1976 (Stranded)	Off Ovari, Gulf of Mannar	B. musculus	6,35 m (Female)	R. Marichamy, M. E. Rajapandian and A. Srinivasan	J. mar. biol. Ass. India, 26 (1&2): 168-170, (1984)
10.	31-1-1981	Mallipatnam Tanjavur distriict	B. borealis (Dead)	9.90 m	P. S. B. R. James and R. Soundararajan	J. mar. biol. Ass. India, 22 (1&2): 175, (1980)
11.	18-2-1981 (Stranded)	Periathalai coast	Balaenoptera sp.	11.5 m	Team of scientists	CMFRI Newsletter No. 11, January-March 1981, p. 5.
12.	24-4-1981	Off Vizhinjam	Balaenoptera sp. (Alive)	6.25 m	J. J. Joel and Mathew Joseph	CMFRI Newsletter No. 12, April-June 1981, p. 6
13.	22-1-1983 (Washed ashore)	Rameswaram Island	B. physalus (Dead)	9.90 m (Female)	P. Nammalwar, S. Krishna Pillai and S. Sankaralingam	Mar. Fish. Infor. Serv. T & E Ser., No. 48: 21, (1983)
14.	18-5-1985 (Washed ashore)	Mallipatinam coast, Tanjore district	Balaenoptera sp. (Dead)	9.30 m	C. Kasinathan	Mar. Fish. Infor. Serv., T & E Ser., No. 70: 25, (1986)
15.	31-9-1985 (Stranded)	Chappa beach, Narakkal, Coehin	B. musculus	10.30 m (Male)	K. V. Somasekharan Nair and A. A. Jayaprakash	Mar. Fish. Infor. Serv., T & E Ser., No. 71: 17-18, (1987)
16.	29-4-1987 (Wased ashore)	Hollengade, Karnataka coast	Balaenoptera sp. (Dead)	17 m	K. Y. Telang	Mar. Fish. Infor. Serv., T & E Ser., No. 78: 17, (1987)
17.	26-2-1988 (Washed ashore)	Tuticorin	B. borealis	12 m Male	Venkataramanujam et al.	Mar. Fish. Infor. Serv., T& E Ser., No. 95: 13, (1989)
18.	18-5-1988 (Stranded)	Kayalpatnam, Gulf of Mannar coast	B. borealts	10.02 m (Female)	H. Mohamed Kasim and T. S. Balasubramanian	Mar. Fish. Infor. Serv., T & E Ser., No. 95 : 12-14, (1989)
19.	May, 1988 (Stranded)	Tuticorin	B. borealts	7.50 m	Scientific staff of Tuticorin Research Centre of CMFRI	
20.	June, 1988	Pudumani- kuppam near Madras	B. physalis (Alive)	4.70 m (Female)	Scientific staff of Madras Research Centre of CMFRI	CMFRI Newletter No. 40, April-June 1988, p.5
22.	April- June, 988	Bombay and Gujarat coast (3 Nos.)	Balaenoptera sp. Balaenoptera sp. Balaenoptera sp.	9 m 18 m 23 m	Scientific staff of Bombay and Veraval Research Centres of CMFRI	CMFRI Newslatter No. 40, April-June, 1988, p. 5
24.	14-8-1988	Sikka, Off Gulf of Kutch	B. borealis (Dead)	9.76 m (Female)	Scientific staff of Veraval Research Centre of CMFR	CMFRI Newsletter No. 41, July-September, 1988, p. 6
25.	10-12-1988 (Washed ashore)	Motupalli Prakasam distri- ct, Andhra Pradesh	B. musculus	15.16 m (Male)	T. Chandrasckhara Rao and A. Hanumantha Rao	Mar. Fish. Infor. Serv., T & E Ser., No. 102: 13-16, (1989)
26.	15-3-1989 (Stranded)	Someswara, South Kanara	B. physalis	14.02 m (Female)	G. M. Kulkarni, P. U. Zach aria, S. Kemparaju, D. Nagaraja, Y. Muniyappa and R. Appayya Naik	n- <i>Mar. Fish. Infor.</i> TServ., & E Ser., No. 102 : 16, (1989)