




Marine Fisheries Profile Pondicherry




Fishery Resources Assessment Division
Central Marine Fisheries Research Institute
(Indian Council of Agricultural Research)
Cochin

Statistical highlights

Landing centres	26
Fishing villages	28
Fisherfolk families	11,541
Fisherfolk population	43,028
Male	21,733
Female	21,295
Sex ratio (Females / 1000males)	980
Family size	3.73
Education	
Formal education	27,185
No education	15,843
Active fisherfolk	
Full time	9,503
Part time	401
Occasional	437
Allied activites	
Male	2,768
Female	7,327
Fishing Crafts	
Mechanized	627
Motorized	2,306
Non-motorized	1,524
Fisherfolk families possessing neither craft nor gear	4,782
Total Production in 2005 (thousand tonnes)	10.82

Total landings - All resources




Average landings ('000 tonnes)

1969 - 1970	10.63
1971 - 1975	8.79
1976 - 1980	8.57
1981 - 1985	13.83
1986 - 1990	13.72
1991 - 1995	11.59
1996 - 2000	16.78
2001 - 2005	15.14
<i>Maximum landings</i>	21.27 (1997)
<i>Minimum landings</i>	6.46 (1977)
<i>Current landings</i>	10.82

Major Gears

- Trawlnet
- Gillnet
- Seinenets
- Bagnet
- Hooks & lines


Sectorwise landings



Average landings ('000 tonnes)

	Mechanized	Motorized	Non-motorized
1986 - 1990	4.36	0.08	9.29
1991 - 1995	3.29	1.05	7.25
1996 - 2000	2.89	10.24	3.65
2001 - 2005	3.42	10.32	1.40

Oil Sardine



1981 - 1985 0.49

1986 - 1990 2.33

1991 - 1995 1.84

1996 - 2000 6.45

2001 - 2005 4.06

Maximum landings 11.26 (1997)

Minimum landings 0.00* (1969-82)

Current landings 5.03

Species

Sardinella longiceps


Major Gears

Bagnet

Gillnet

* '0' landings indicate marginal landings below 5 tonnes

Mackerel



Average landings ('000 tonnes)

1969 - 1970	0.51
1971 - 1975	2.24
1976 - 1980	0.61
1981 - 1985	0.80
1986 - 1990	1.31
1991 - 1995	2.20
1996 - 2000	2.43
2001 - 2005	2.20

Maximum landings 3.69 (1993)

Minimum landings 0.18 (1978)

Current landings 1.59


Major Species

Rastrelliger kanagurta

Major Gears

Bagnet
Gillnet

Lesser sardines



Average landings ('000 tonnes)

1969 - 1970	1.64
1971 - 1975	1.06
1976 - 1980	1.78
1981 - 1985	2.09
1986 - 1990	1.39
1991 - 1995	1.28
1996 - 2000	1.61
2001 - 2005	1.39

<i>Maximum landings</i>	3.52 (1996)
<i>Minimum landings</i>	0.50 (1973)
<i>Current landings</i>	0.92


Major Species

Sardinella gibbosa, *S. fimbriata*, *S. brachysoma*

Major Gears

Bagnet Gillnet

Carangids



Average landings ('000 tonnes)

1969 - 1970	0.43
1971 - 1975	0.53
1976 - 1980	0.46
1981 - 1985	1.51
1986 - 1990	0.72
1991 - 1995	0.49
1996 - 2000	0.70
2001 - 2005	0.58

<i>Maximum landings</i>	2.33 (1982)
<i>Minimum landings</i>	0.23 (1973)
<i>Current landings</i>	0.38


Major Species

*Megalaspis cordyla, Caranx ignobilis, C. malabaricus,
Decapterus russelli, D. dayi, D. macrosoma,
Selar crumenophthalmus*

Major Gears

Gillnet
Bagnet
Hooks & lines
Trawlnet

Silverbellies



Average landings ('000 tonnes)

1969 - 1970	0.61
1971 - 1975	0.46
1976 - 1980	0.52
1981 - 1985	1.11
1986 - 1990	0.64
1991 - 1995	0.49
1996 - 2000	0.36
2001 - 2005	0.57

Maximum landings 1.76 (1983)

Minimum landings 0.12 (1997)

Current landings 0.13

Major Species


Leiognathus bindus, L.brevirostris, L.splendens, L.dussumieri

Major Gears

Trawl net

Gill net

Penaeid Prawns



Average landings ('000 tonnes)

1969 - 1970	0.53
1971 - 1975	0.12
1976 - 1980	0.29
1981 - 1985	0.51
1986 - 1990	0.56
1991 - 1995	0.49
1996 - 2000	0.37
2001 - 2005	0.26

Maximum landings 0.92 (1990)

Minimum landings 0.03 (1974)

Current landings 0.09


Major Species

Parapenaeopsis stylifera, Metapenaeus dobsoni, M. monoceros, M. affinis, Solenocera crassicornis, S. choprai, S. indica, S. hextii, Fenneropenaeus indicus

Major Gears

Trawl net

Cephalopods



Average landings ('000 tonnes)

1969 - 1970	0.02
1971 - 1975	0.04
1976 - 1980	0.08
1981 - 1985	0.07
1986 - 1990	0.07
1991 - 1995	0.10
1996 - 2000	0.08
2001 - 2005	1.30

Maximum landings 2.22 (2002)

Minimum landings 0.01 (1970)

Current landings 0.07


Major Species

Loligo duvaucelii, Sepia aculeata, S. pharaonis

Major Gears

Trawlnet

Anchovies



Average landings ('000 tonnes)

1969 - 1970	2.38
1971 - 1975	0.59
1976 - 1980	0.38
1981 - 1985	0.48
1986 - 1990	0.36
1991 - 1995	0.16
1996 - 2000	0.48
2001 - 2005	0.12

Maximum landings 2.48 (1970)

Minimum landings 0.00* (2005)

Current landings 0.00*

Major Species


Stolephorus commersonii

Major Gears

Trawl net
Gill net

* '0' landings indicate marginal landings below 5 tonnes

Crab



Average landings ('000 tonnes)

1976 - 1980	0.30
1981 - 1985	0.61
1986 - 1990	0.26
1991 - 1995	0.32
1996 - 2000	0.20
2001 - 2005	0.26

Maximum landings 0.92 (1982)

Minimum landings 0.09 (1989)

Current landings 0.16


Major Species

Portunus pelagicus, P. sanguinolentus, Charybdis cruciata

Major Gears

Trawlnet
Gillnet

Perches



Average landings ('000 tonnes)

1969 - 1970	0.24
1971 - 1975	0.34
1976 - 1980	0.66
1981 - 1985	1.19
1986 - 1990	0.67
1991 - 1995	0.38
1996 - 2000	0.29
2001 - 2005	0.69

Maximum landings 1.48 (1983)
Minimum landings 0.13 (1974)
Current landings 0.20

Major Species

*Nemipterus japonicus, N. mesoprion,
Epinephelus diacanthus*

Major Gears

Trawlnet
Gillnet
Hooks & lines

Major fish landing centres in Pondicherry

DISTRICT : YANAM

- 1 Savitrinagar**

DISTRICT : PONDICHERRY

- 1 Kanagachettikulam**
2 Periakalapet
3 Chinnakalapet
4 Pillaichavadikuppam
5 Solathandavankuppam
6 Vaithikuppam
7 Kurichykuppam
8 Pondicherry F.H.
9 Periaveerampattinam
10 Chinnaveerampattinam
11 Pudukkuppam
12 Nallavadu
13 Panithittu
14 Narambi
15 Moorthikuppam

DISTRICT : KARAIKAL

- 1 Mandapathoor**
2 Kalikuppam
3 Akkampettai
4 Kottucherrymedu
5 Kasakudimedu
6 Kilinjalmedu
7 Karaikkalmedu
8 Karukkalacherry
9 Thirumalarayanpattinam

DISTRICT : MAHE

- 1 New Mahe**



www.cmfri.org.in

Published by Director, CMFRI, Kochi-18
Concept : M. Srinath

Layout & data preparation : M.R. Beena, Sindhu K. Augustine, Somy Kuriakose, J. Sreenivasan